

Gutter LT


ANSI/SPRI GD-1 CERTIFIED:

.040" Aluminum

G-1 Horizontal = 310 psf
G-2 Vertical = 40 psf
G-3 Static = 430 psf

24GA Steel

G-1 Horizontal = 290 psf
G-2 Vertical = 20 psf
G-3 Static = 430 psf



- Gutter Bracket and Fasteners provided.
- Term Bar and fasteners NOT provided.

PRINT APPROVAL:

Architect and/or Contractor shall verify all dimensions, sizes, and quantities, All products to be installed in strict accordance with Drexel's printed instructions.

Approved By: _____

Date: _____

QUANTITIES:

Lineal Feet (20'-0" Lengths*): _____

Outside Miters**: _____

Inside Miters**: _____

Right End Caps**: _____

Left End Caps**: _____

* Continuous Lengths Available Onsite

** Standard riveted

PROJECT: _____

ARCHITECT: _____

ROOFING CONTRACTOR: _____

REPRESENTATIVE: _____

MATERIAL:

☐ 24GA ☐ .040" AL

☐ Other: _____

Finish: _____

Color: _____

Effective Date: 9-22-14

Drawn By: J.S.

Approved By: B.P.



Toll Free 866-772-0101
Fax 731-265-4309
342 Bellvue St Jackson, TN 38301
www.reelfootmetal.com